

Bridging the Gap: Behavioral Health and Oral Health in Public Housing

November 9, 2020

Webinar

Mental Health Status & Service Utilization Among a Sample of Public Housing Residents:

Guidance for Public Housing Primary Care Health Centers

Saqi Maleque Cho, DrPH, MSPH Director of Research, Policy, and Health Promotion National Center for Health in Public Housing





Agenda



Background on Residents of Public Housing



ılı.

Study Objectives

Methodology

Results



Summary and Recommendations


National Center for Health in Public Housing



This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as part of an award totaling \$2,004,000 with 0% financed with non-governmental sources. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS, or the U.S. Government. For more information, please visit <u>HRSA.gov</u>.




In 2020, there were roughly 1.7 million residents of public housing. Approximately 93% were living below poverty, 33% were headed by a single female, 37% of the households had children, and 38% had a member that was disabled. (Source: HUD)



Source: HUD Resident Characteristics 2020

A Health Picture of HUD-Assisted Adults, 2006-2012


Adults in HUD-assisted housing have higher rates of chronic health conditions and are greater utilizers of health care than the general population.



	HUD- Assisted	Low- income renters	All Adults
Fair/Poor Health	35.8%	24%	13.8%
Overweight/ Obese	71%	60%	64%
Disability	61%	42.8%	35.4%
Diabetes	17.6%	8.8%	9.5%
COPD	13.6%	8.4%	6.3%
Asthma	16.3%	13.5%	8.7%

HUD- Assisted	Low- income renters	All Adults
35.8%	24%	13.8%
71%	60%	64%
61%	42.8%	35.4%
17.6%	8.8%	9.5%
13.6%	8.4%	6.3%
16.3%	13.5%	8.7%
	Assisted 35.8% 71% 61% 17.6% 13.6%	Assisted income renters 35.8% 24% 71% 60% 61% 42.8% 17.6% 8.8% 13.6% 8.4%

Individuals that receive housing assistance are more likely to report feelings of anxiety, depression, and hopelessness, and those feelings are more likely to interfere with daily activities compared to the general population.




According to the 2018 National Survey on Drug Use and Health:

17.7 million age 18 or older in 2018 with depression 64.8% received treatment

21.2 million age 12 or older with need for substance use disorder treatment

11.1% received

treatment



1,400 Federally Qualified Health Centers (FQHC)=30 million

433 FQHCs near Public Housing= 5.2 million patients

108 Public Housing Primary Care (PHPC) = 856,191 patients

www.nchph.org

Study Objective



- To identify:
 - Behavioral Health Status
 - self-reported experiences of depression, anxiety, and substance use;
 - Use of Behavioral Health Services
 - use of medication, counseling, and doctor's visits for mental health and substance use disorders; source of care
 - Behavioral Health Needs
 - the need for mental health or substance use information, treatment, and services;
 - Challenges
 - challenges in obtaining needed information;
 - Health Center Perceptions
 - views on whether health centers are a good source of care for behavioral health needs.

Methodology

- 31-item survey
- National Alliance of Resident Services in Affordable and Assisted Housing (NAR-SAAH) conference
- criteria: (1) at least 18 years old, (2) English-speaking, and (3) a public housing resident or affordable housing stakeholder.

Adult Groups Examined:

- Individuals receiving housing assistance
- Individuals receiving any public assistance
- Individuals without any public assistance

Results


- 53% response rate (160 out of 300)
- 45% with housing assistance unable to work due to disability (compared to 6% without assistance)
- Medicaid 60%
- Medicare 64%

	AFRICAN AMERICAN	WHITE	HISPANIC	ASIAN/ PACIFIC ISLANDER	NATIVE AMERICAN	OTHER
HOUSING/RENTAL	71.05%	6.58%	6.41%	2.63%	0.00%	19.74%
ANY PUBLIC ASSISTANCE	71.17%	8.11%	8.04%	1.80%	0.00%	18.92%
NO PUBLIC ASSISTANCE	85.71%	8.57%	0.00%	0.00%	2.86%	2.86%
TOTAL	74.66%	8.22%	6.00%	1.37%	0.68%	15.07


	Percent	Number
Housing/Rental	51.63%	79
Utility	7.19%	11
SSI	27.45%	42
Unemployment	0.65%	1
Food Stamps	47.71%	73
No Public Assistance	25.49%	39
Any Public Assistance	74.50%	114
Total*		160



Self-Reported Depression, Past Year



Self-Reported Anxiety, Past Year



HOUSING/RENTAL80.52%19.48%ANY ASSISTANCE80%20%NO PUBLIC ASSISTANCE94.59%5.41%


Depression or Anxiety with Hardship

Individuals that receive housing assistance are more likely to report that their anxiety or depression interferes with daily activities compared to the general population.


Anxiety- 59% vs. 26%

Depression- 59% vs. 25%

Self-Reported Depression with Hardship




Self-Reported Anxiety with Hardship




Medication, Past Year






Mental Health Services






Unmet Mental Health Needs


Enough Counseling Received



Enough Information Received




Challenges in Obtaining Information




17

Use of Health Centers

Source of Mental Health Care



Q. Do You Think Your Local Community Health Center Might Be Able to Provide Help With Your Behavioral Health Needs?



Summary and Recommendations

- Mental health issues are more prevalent among public housing residents
- Need for information, services, treatments significantly higher
- For those with unmet needs, challenges included fear of asking or what others may think, not knowing where to find information, or asking for help but not receiving it.
- HRSA's Health Center Program is an important and trusted source of behavioral health services

Contact and Acknowledgements


Saqi Maleque Cho, DrPH, MSPH Director of Research, Policy, and Health Promotion National Center for Health in Public Housing saqi.cho@namgt.com

www.nchph.org

Acknowledgements: I would like to thank the staff and members of NAR-SAAH and Dr. Jose Leon, Chief Medical Officer at NCHPH

www.nchph.org

Social Media



 Follow us on Twitter https://twitter.com/NCHPHorg



 Follow & Like us on Facebook https://www.facebook.com/NCHPH.org/



Annual

symposiums



One-on-One



Subscribe to our YouTube channel

http://www.youtube.com/namgthealth



Central City Integrated Health Center Integration of Behavioral Health and Oral Health



Kristi Thomas DDS, (MPH 2022) Chief Dental Officer- Central City Integrated Health Virgil Williams LMSW Chief Operating Officer- Central City Integrated Health

Central City Integrated Health Detroit, Michigan(Midtown)



"We provide access to quality integrated health services to people who are in need."

Medical Health Services Comprehensive Dental Services Behavioral Health Services Substance Use Disorder Treatment Supportive Housing Community Re-Entry Services Supported Employment and Community Resources Assistance Insurance and Community Resources Assistance Peer Support 2 Sites, 134.6 FTEs/ 45,660 visits (UDS 2019)



2016 Re-branded to Central City Integrated Health (CCIH)

2014 Detroit Central City Health Center opened in a temporary storefront at **3427** Woodward Avenue

2013 Board mission statement changed to include integrated health care; DCC awarded new access point from HRSA to open a Federally Qualified Health Center

2012 DCC awarded Michigan Historic Preservation Network Building Award for restoration of gas station, now PharMor Pharmacy; DCC designated as an approved practices service site by National Health Services Corps

2011 DCC, in partnership with the Detroit Housing Commission, awarded planning grant to develop a proposal for a health care center

2009 Wayne County 3rd Circuit Mental Health Court established as a State pilot program

1987 Michigan amends State Medical Assistance Plan to cover Care Management services

1986 Two Fairweather Programs, providing supportive housing, case management, life skills training and supportive employment, begin; DCC becomes a fiduciary for the Detroit Health Care for the Homeless Program; DCC begins on-line reporting to the Detroit-Wayne County Community Mental Health Agency (now DWMHA) via computer link

1982 Federal support (NIMH) for DCC discontinued

1979 Administrative and service offices consolidated and moved to **10** Peterboro

1977 Administrative Offices moved from 3455 Woodward Avenue to 232 Grand River

1975 Board of Directors is instituted: Administration of Adult Day Treatment by the YWCA was discontinued and undertaken by DCC; Model Neighborhood Agency was phased out. Regulatory and funding for DCC continues from the Detroit Health Department; Gloria B. Dees appointed as Executive Director

1972 Grant awarded by National Institute of Mental Health (NIMH) for development of DCC

1971 First incorporated as Detroit Central City Health Center (DCC)

Late 1960's Founded as part of the Model City Neighborhood Program

Public Housing



Central City Integrated Health recognizes the importance of an individual having safe housing to overall health and well-being. CCIH's commitment to integrating health services starts with our proactivity in combating homelessness. The basic provision of shelter is bedrock to individuals and families and their ability to care for themselves. Regardless of the past behaviors that contributed to a person's homelessness, CCIH staff work to provide new solutions, strategies and approaches to house our consumers. We believe that there is no health without housing.

The Supportive Housing Division is comprised of numerous programs servicing individuals with varying needs and/or circumstances including, military veterans, domestic abuse survivors, people with severe mental illness and co-occurring disorders (severe mental illness and substance abuse) and people with physical or health disabilities who may also have a substance abuse problem. The housing department staff is specially trained to assist people in the transition from homelessness to permanent housing, enabling them to live as independently as possible.

Oral Health

- Central City is in a Health Professional Shortage Area
- (HPSA Score- Medical 23, Dental 21 and Behavioral Health 17)
- Detroit has a 40% homeless population.
- Peterboro Location has 70 units
- Reduce barriers/ Increase Access
- Dental Clinic established in 2016
- Comprehensive Dental Services
- 6 Dental Operatories
- 2090 visits in (UDS 2019)









*Penn

"A cyclical relationship exists between oral health and mental health. Good oral health can enhance mental and overall health, while poor oral health can exacerbate mental issues—and mental conditions can likewise cause oral health issues."

https://mypenndentist.org/2017/04/05/oral-health-and-mentalhealth/

BEHAVIORAL HEALTH & DENTAL HEALTH

People suffering from stress, tensions, anxiety and addiction in their health generally suffer from the following dental health troubles:

Bruxism or Teeth Grinding Habit

What generally happens is that stress in the mind can lead to the habit of teeth grinding and the patient does not realize it. Some patients grind or clench their teeth while asleep and other grind teeth as a habit to deal with stress. Excessive pressure on teeth generally leads to loss of teeth enamel, pain in the jaw and similar other dental problems.

Acid Reflux

It has also been found that the situations of acid reflux arise more for people suffering with anxiety. The frequent reverse flow of acid in the stomach to the mouth may result in decaying teeth and erosion of enamel which can lead to severe dental problems.

Unhealthy, Stained Teeth

At the time of facing mental distress, people lose focus to lead their lives, let alone their oral health. They forget to consider if they have brushed their teeth for a long time and continue to deal with stress. Such neglect will result in decayed teeth and gums

Psychotropic drugs

Have side effects such as xerostomia, gingival enlargements, dental erosion, mucosal ulceration and infections, and oral/nasal lesions.

Tardive dyskinesia

Addiction/Recovery

A focus on attaining more drugs instead of caring for oral hygiene

Nutritional deficiencies that can damage teeth and gums

Greater intake of high-sugar food or beverages, which decay teeth

Integrated Behavioral &Oral Health (IBOH) Program Objective

"We provide access to quality integrated health services to people who are in need."

DENTAL TO BEHAVIORAL HEALTH

Before we started our formal IBOH program, the dental department had a good working relationship with the medical and behavioral health departments. This integration program has enhanced the relationships.

The Quality Director and Chief Dental Officer worked together to design a workflow that could capture the needed information (HRSA and Mental Health Authority) and be implemented with ease. We had planning sessions with staff to discuss the charge and the throughput of the patient. We decided to redesign our intake forms and to detail the internal procedure.

Our model focuses on integrating the behavioral health screening into the initial and return patient documents. This would allow the team to obtain the information prior to the patient being seen and decide what next steps are needed.

The initial planning process is important but remember this will be a <u>continuous</u> process.

Dental Evaluation Process

- We presented the health history to all new and recall patients. (The PHQ-9 and CAGE screening is embedded into the new forms.)
- Front desk staff enters information into the EHR
- (Scores over a 10) Referral is created in the system
 Peer Support is contacted and comes to dental if available
 Dental clinic staff is alerted of elevated score
- Patient is placed in an operatory or room that has privacy
- Scheduled treatment is completed.
- Clinician makes patient aware they are eligible for additional services. (Peer Support speaks with patient if possible or Support staff contacts patient at another time)

We have yearly formal trainings on the procedure and periodic meetings on updates. We continue working with the quality department on process improvement. We discuss IBOH process at our monthly quality meeting.

		4	The second second
		S,	
		6	
iergies /	Type of Reaction [No known drug allergies	
Latex D		fa Drugs Aspirin/Tylenol/Motrin Codeine	local Anesthelics
		and District Hereit Concere	LOCAL PRICES UNCOLS
Other			
ast Surgical H	istory		
ype of Surgery & Yo			
	15 mm		
		and the design of the second	
	weeks, how often	n have you been bothered by any of the following:	
1	2	3 4	
	r pleasure in doing t	things?	
	Several days	More than half the days Nearly every day	
Feeling down,	depressed or hopek		
Not at all	Several days	More than half the days Nearly every day	
Trouble failing	asleep, staying aslee	ep or sleeping too much?	
	Several days	More than half the days Nearly every day	
	having little energy		
Feeling tired or			
	SCACE IN CRACK	and the second s	
Not at all			
Not at all	or overeating?		
Not at all Poor appetite	or overeating?	the second se	
Not at all Poor appetite Not at all Feeling bad ab	or overeating?	you are failure or have let yourself or your family down?	
Not at all Poor appetite Not at all Feeling bad ab	or overeating? Several days out yourself or that Several days	you are failure or have let yourself or your family down?	
Not at all Poor appetite Not at all Peeling bad ab Not at all Yrouble concer	or overnating? Several days out yourself or that Several days intrating on things, s	you are failure or have let yourself or your family down? More than half the days Nearly every day such as reading the newspaper or watching TV?	
Not at all Poor appetite Not at all Feeling bad ab Not at all Trouble concer Not at all	or overeating? Several days out yourself or that Several days ntrating on things, s Several days	you are failure or have let yourself or your family down? More than half the days Nearly every day such as reading the newspaper or watching TV? More than half the days Nearly every day	
Not at all Poor appetite Not at all Feeling bad ab Not at all Trouble concer Not at all	or overeating? Several days out yourself or that Several days ntrating on things, s Several days	you are failure or have let yourself or your family down? More than half the days Nearly every day such as reading the newspaper or watching TV?	roving around a
Not at all Poor appetite Not at all Feeling bad ab Not at all Trouble concer Not at all	or overeating? Several days out yourself or that Several days ntrating on things, s Several days	you are failure or have let yourself or your family down? More than half the days Nearly every day such as reading the newspaper or watching TV? More than half the days Nearly every day	roving around a
Not at all Poor appetite Not at all Feeling bad ab Not at all Trouble concer Not at all	or overeating? Several days out yourself or that Several days atrating on things, s Several days sking so slowly othe Several days	you are failure or have let yourself or your family down? More than half the days Nearly every day such as reading the newspaper or watching TV? More than half the days Nearly every day propople noticed. Or the opposite, being so fidgety or restless and m	roving around a


Behavioral Health Intake

- Scheduled Appointment-Support Staff.
- Intake Appointment-Nurse, Therapist and Peer Support.

Treatment Plan

- ✓ Whole-Person Care Discussed
- ✓ Social Determinants of Health.
- ✓ Education and Knowledge
- ✓ Patient Accountability
- ✓ (All phases of Primary Care)

Zoom Meeting ID: 179-818-176



INTEGRATED CARE MEETINGS

- Weekly meetings to discuss high risks patients
- Open to all staff to recommend patients of concern

Х

• Team approach in the management of health.

Challenges

We work in an EHR that is designed for collaborative Behavioral Health/ Medical collaboration. Our staff tends to double input information. We are exploring other options for true Dental, Medical and Behavioral Health integration.

Outcomes Good News

Organizational Integration

The strengthened relationship has resulted in many community center integrated efforts.

*COVID-19 testing


- *Grant writing success for a
 - mobile program
- * Increased Telehealth visits

Mental Illness and Oral Health

Mental Illness and Oral Health

- There is a close connection between the health of the body and that of the mind. There is further evidence to suggest those who experience mental illness also suffer with poor oral health.
- Some of the most common mental illnesses that can have a negative impact on a person's oral health includes; anxiety and panic attacks, depression, eating disorders, obsessive-compulsive disorder, selfharm, schizophrenia and psychosis.
- CCIH Clinicians utilizes Motivation Interviewing (MI) to encouraged members to enroll in the other services that CCVIH offers, i.e. Dental Services

Mental Illness and Oral Health



- Some of the main issues for those suffering with mental illness include:
 - Neglect: Research has shown that those suffering from mental illnesses tend to avoid dental care so much that their oral hygiene is neglected. This can result in <u>gum</u> <u>disease</u> and <u>tooth decay</u>.
 - Anxiety: Many people suffer from some form of <u>dental phobia</u> and as a result, stop seeing their dentist regularly. Infrequent dental visits have a severe impact on oral health.

Mental Illness and Oral Health

- Some of the main issues for those suffering with mental illness include:
 - Eating disorders: Those who suffer from conditions such as Bulimia often experience <u>dental erosion</u> from the acidity in vomit. Low levels of calcium are also common, which could affect the health of the teeth.
 - **Brushing actions:** Over-vigorous brushing actions by those with bipolar as similar disorders could result in them brushing away the enamel on the surface of the tooth.

Mental Illness and Oral Health

- Some of the main issues for those suffering with mental illness include:
 - **Medication:** they are taking may produce adverse oral effects, especially <u>dry mouth</u>, which is as a result of reduced salvia flow.
- It is important for Clinicians to be aware of the link between oral health and mental health.
 - Those people suffering with mental health issues should understand value of good oral health and be motivated to maintain good dental habits.



Mental Illness and Oral Health


• Three key messages:

- Brush last thing at night and at one other time during the day with a fluoride toothpaste.
- Reduce the amount and how often they have sugary foods and drinks.
- Visit the dentist regularly, as often as they recommend
- By encouraging a healthier lifestyle, supporting them in a positive daily routine and making them feel more comfortable with accessing dental care, you can effectively manage the oral health of a person suffering with mental illness.


Mental Illness and Oral Health

• Useful resources:

- <u>Preventive care and oral hygiene</u>
- My fear of the dentist
- <u>Relaxation and sedation</u>
- Caring for my teeth
- Dry mouth
- <u>https://www.dentalhealth.org/mental-</u> <u>illness-and-oral-health</u>



Conclusion





This project is/was supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as a part of an award totaling \$625,000 under grant number U30CS29051 with 0% financed with non-governmental sources.

The contents are those of the author(s) and do not necessarily represent the official view of, nor an endorsement, by HRSA, HHS, or the U.S. Government.

For more information, please visit HRSA.gov